PS:520-2013

ICS No:67.080

PAKISTAN STANDARD SPECIFICATION

FOR

PICKLES (3RD REVISION)



(ALL RIGHTS RESERVED)

PAKISTAN STANDARDS AND QUALITY CONTROL AUTHORITY Standards Development Centre, PSQCA Complex, Standardization Wing II, 1st Floor, Plot - ST-7/A, Block-3, Scheme No.36, Gulistan-e-Jauher, Karachi

PAKISTAN STANDARDS & QUALITY CONTROL AUTHORITY (STANDARDS DEVELOPMENT CENTRE) (Agriculture & Food Division)

CHAIRMAN

Mr. Zuzzer A. Shamsuddin. 1. Director.

MEMBERS

- 2. Kishwar Shabina, Public Analyst,
- 3. Dr. Shahina Naz.
- 4. Dr. Rahmanullah Siddigi Assistant Professor,
- EOr not 5. Mr. Abdul Qadir Khatri. Soil Chemist,
- Muhammad Azland 6. Director, PHRC
- 7. Mr. Tajammul Haussain Executive Director,
- 8. Mr. Ataullah Khan, Director Quality Control,
- 9. Dr. M. Samee Haider, Senior Scientific Officer.
- 10. Mr. Asad Naeem Khan, Manager QA/Development
- 11. M. Muneer Hussain Sr. Deputy Manager

PCSIR Laboratory & Complex, Food & Food System, PCSIR Karachi

KMC Food Laboratories, Karachi

Deptt. of Food Science & University of Karachi, Karachi

Dept. of Food Science & Technology, University of Karachi, Karachi

Sindh Horticulture Research Institute, Mirpurkhas

Ayub Agriculture Research Institute, Faisalabad

Naurus (Pvt.) Ltd., C-1/B Naurus Chowrangi, SITE., Karachi

Naurus (Pvt.) Ltd., C-1/B Naurus Chowrangi, SITE., Karachi

PCSIR Labs. Complex, Karachi

Shangrila (Pvt.) Ltd., F-33 SITE II, Scheme 33 Super Highway, Karachi

Research & Analyst & Quality Control, National Foods Ltd., **F-160 SITE** Karachi

12. Sana Waqar, Assistant Manager R&D

- 13. Mr. Waseem A. Mahmood, Director Marketing, (PFPA) Secretary
- 14. Mr. Rana Maqbool Ejaz, Manager Production
- 15. Mr. Mushir M. Syed, Manager Quality Systems
- 16. Mr. Mujeeb-ur-Rehman, Field Officer
- 17. Mr. Ayaz Soomro, Field Officer

SECRETARI

- 1. Mr. Naseem v Sami Asstt. Director (Agri & Food) & J Secretary to the Committee
- 3. Ms. Yasmin Khanan Examiner (Agri. & Food)

National Foods Ltd., F-/160-C, SITE, Karachi

Shezan international Ltd., 56-bund Road, **Lahore**

Shezan International Ltd., 56-Bund Road, Lahore

Engro Foods (Pvt.) Ltd., Harbor Front Building, Clifton - Karachi

com.PK Standards Development Centre, PSOCA

mont Centre,

EOT DE Standards E PSOCA Karachi NWW Standard Development Centre Karachi.

> Standard Development Centre PSQCA Karachi.

PAKISTAN STANDARD SPECIFICATION FOR <u>PICKLE (3RD REVISION</u>

0. FOREWORD:

- 0.1 This Pakistan Standard was adopted by the Pakistan Standard and Quality Control Authority, Standard Development Centre <u>21-01-2013</u> after the draft by the Fruit and Vegetable Products Technical Committee, had been approved by the National Standards Committee for Agriculture and Food Products.
- 0.2 This Standard was established in 1964, first revised in 1981, secondly revised 1999 and now the Committee felt it necessary to revise in the light of latest development made in the Industries.
- 0.3 The assistance has been derived from codex stand 260 is acknowledged with thanks.

ant

- 0.4 In the Preparation of this standard the views of the manufacturers, technologist and testing authorities have been taken into consideration.
- 0.5 For the purpose of deciding whether particular requirement of this standard is complied with the final value observed or calculated expressing the results of a test or analysis shall be rounded off in accordance with PS: 103 for Methods of Rounding off Numerical values. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.
- 0.6 All the ingredients preparation, processing, packaging storage and for transportation shall be according to PS: 3733 for Halaal Food Management System Requirement for any Organization in the Food Chain.
- 1 SCOPE OTAL

This Standard applies oppoducts, as defined in clause 2 below, and offered for direct consumption, including for catering purposes or for repacking if required. The products covered by this Standard include, but are not limited to onions, garlic, mango, radish, ginger, beetroot, royal plum, peppers, hearts of palm, cabbage, lettuce, lemons, baby corn (young corn) and green mustard (Brassica juncea ssp). It does not apply to the product when indicated as being intended for further processing. This Standard does not cover pickled cucumbers, kimchi, table olives, sauerkraut, chutneys and relishes.

2 **DESCRIPTION**

2.1 **PRODUCTS DEFINITION**

Pickled is the product:

- a) prepared from sound, clean and edible fruits and/or vegetables, with or without seeds, spices, aromatic herbs and/or condiments;
- b) processed or treated to produce an acid or acidified product preserved through natural fermentation or acidulants. Depending on the type, appropriate ingredients are added in order to ensure preservation and quality of the product;
- c) processed in an appropriate manner, before or after being hermetically sealed in a container, so as to ensure the quality and safety as well as to prevent spoilage; and/or

packed with or without a suitable liquid packing medium (e.g., oil, brine or acidic media such as vinegar) as specified in clause 3.1.2, with ingredients appropriate to the type and variety of pickled product, to ensure an equilibrium pH of less than 4.6 d)

2.2 **STYLES**

(a) Any presentation of the product should be permitted provided that the product meets all requirements of the Standard;

(b) Style presentations could include for example, whole, pieces, halves, quarters, cubes, shredded or chopped.

2.3 **TYPES OF PACK**

- Solid Pack without any added packing medium. 2.3.1

2.3.1 Solid Pack – without any added packing medium.
2.3.2 Regular Pack – with a packing medium added, as specified in clause 3.1.2.
3 ESSENTIAL COMPOSITION AND QUALITY FACTORS
3.1 COMPOSITION
3.1.1 Basic Ingredients
Fruits and vegetables and liquid packing medium wher appropriate, as defined in clause 2.1(a), 2.1(d) and 3.1.2. in combination with one or more of the other permitted ingredients listed in clause 2.1(d) and 3.1.2, in combination with one or more of the other permitted ingredients listed in clause WWW 3.1.3.

3.1.2 Packing Media

Packing media may contain ingredients subject to labelling requirements and may include, but is not limited to:

(1) Sugars and/or other foodstuffs with sweetening properties such as honey;

- (2) Aromatics plants, spiles or extracts thereof, seasoning;
- (3) Vinegar;
- (4) Regular or concentrated fruit juice;
- (5) Edible Oil;
- (6) Tomato puree

3.1.3 Other Permitted Ingredients

- (a) cereal grains;
- (b) dried fruits;
- (c) malt extract;
- (d) nuts;
- (e) pulses;
- (f) sauce (e.g., fish sauce);
- (g) soy sauce;

(h) foodstuff with sweetening properties such as sugars (including syrups) and honey as defined in the Pakistan Standards for Refined Sugar and White Sugar PS: 1822 and Honey Pakistan Standard 1934 respectively; and

(i) other ingredients as appropriate.

3.2 **QUALITY CRITERIA**

The product shall be free from any extraneous matter and objectionable taste or off flavor. The products shall have characteristic colour, flavor, odour and texture.

3.2.1 **Other Quality Criteria**

3.2.1.1 Pickled in edible oil

- The percentage of oil in the product shall not be less than 10% by weight. a)
- The basic ingredients in the final product shall be less than 60% by weight b)

3.2.1.2 **Pickled in brine**

- a) The percentage of salt in the covering liquid shall not less than 10% by weight when salt is used as a major preserving agent.
- b) The drained weight of the final products shall not be less than 60% by weight.

3.2.1.3 **Pickles in Acidic Media**

- a) The acidity of the media shall not be less than 2% by weight calculated as acetic acid.
- b) The drained weight of the final products shall not be less than 60% by weight,

Note: Pickles which do not covered under the above categories shall postain basic ingredients not less than 60% by weight.

3.2.1.4

 Definition of Defects
 Image: Contract of the sector of discolouration, which adversely affects the overall appearance of the product.

(b) Harmless extraneous material remeans any vegetable part (such as, but not limited to, a leaf or portion thereof, or a stem) that does not pose any hazard to human health but affects the overall appearance of the final product.

3.2.1.5 Defects and Allowan

The product should be practically free from defects as defined in clause 3.2.

CLASSIFICATION OF "DEFECTIVES" 3.3

A container that fails to meet one or more of the applicable quality requirements, as set out in clause 3.2 (except those based on sample averages), should be considered as a "defective".

3.4 LOT ACCEPTANCE

A lot should be considered as meeting the applicable quality requirements referred to in clause 3.2 when:

(a) for those requirements which are not based on averages, the number of "defectives", as defined in Section 3.3, does not exceed the acceptance number (c) of the appropriate sampling plan with an AQL of 6.5: and

(b) the requirements, which are based on sample averages, are complied with.

4 FOOD ADDITIVES

Food Additives are acceptable for use in foods are permissible as per Codex Alimentarius Commission Standard (CODEX STAN 192-1995)

5 CONTAMINANTS

5.1 **PESTICIDE RESIDUES**

The products covered by the provisions of this Standard shall comply with those maximum pesticide residue limits established by the Codex Alimentarius Commission for these products.

5.2 OTHER CONTAMINANTS

The products covered by the provisions of this Standard shall comply with those maximum levels for contaminants established by the Codex Alimentarius Commission for the products.

6 HYGIENE

- 6.1 It is recommended that the products covered by the provisions of this Standard be prepared and handled in accordance with the appropriate sections of the Code of Practice General Principles of Food Hygiene PS-3944, Code of Hygienic Practice for Low-Acid and Acidified Low-Acid Canned Foods (CAC/RCP 23-1979) and other relevant Pakistan texts such as codes of hygienic practice and codes of practice.
- 6.2 The products should comply with any microbiological criteria established in accordance with the Principles for the Establishment and Application of Microbiological Criteria for Foods (CAC/GL 21-1997)

7 WEIGHTS AND MEASURES

- 7.1 FILL OF CONTAINER
- 7.1.1 Minimum Fill

The container should be well filled with the product (including packing medium when appropriate) which should occupy not less than 90% (minus any necessary head space according to good manufacturing practices) of the water capacity of the container. The water capacity of the container is the volume of distilled water at 20 $^{\circ}$ C which the sealed container will hold when completely filled.

7.1.2 Classification of "Defectives"

A container that fails to meet the requirement for minimum fill of clause 7.1.1 should be considered as a "defective".

7.1.3 Lot Acceptance

A lot should be considered as meeting the requirement of clause 7.1.1 when the number of "defectives", as defined in Section 7.1.2, does not exceed the acceptance number (c) of the appropriate sampling plan with an AQL of 6.5.

7.1.4 Minimum Drained Weight

- 7.1.4.1 The drained weight of the product should be not less than the following percentages, calculated on the basis of the weight of distilled water at 20 °C which the sealed container will hold when completely filled².
 - (a) Whole and Halves Style should not be less than 40% of the net weight;

(b) Pieces Style and Other Styles should not be less than 50% of the net weight (except for pickled red cabbage should not be less than 45% of the net weight).

7.1.4.2 Lot Acceptance

The requirements for minimum drained weight should be deemed to be complied with when the average drained weight of all containers examined is not less than the minimum required, provided that there is no unreasonable shortage in individual containers.

8 PACKING

- 8.1 The products shall be packed in hygienically suitable packaging material. ρ
- 8.2 LABELLING The labelling shall be carried out as prescribed in PS: 1485 for Labelling of Prepackaged Foods and PS: 2099 for Guidelines for Mutrition Labelling.
- Note (a) Pickled fruits and/or vegetables shall be labelled according to the type and in combination with the name of major ingredient. Example a pickle made from ginger shall be labelled "Pickled Ginger in Brine".

Note (b) The presentation style showed be declared on the label of the food.

9. MARKING

- 9.1 Each pack shall be clearly marked in labeled with following particulars.
 - a) Name and address of the manufacturer/packer/importer/distributor.
 - b) Name of the product.
 - c) Net weight/volume (Average weight principal will be applicable).
 - d) Date of manufacture & expiry.
 - e) Storage instructions.
 - f) Presentation style should be declared on the label of the food.
 - g) Batch or code number.
 - h) Pakistan Standard number, Mark & License number.
- 1 For products that are rendered commercially sterile in accordance with the Recommended International Code of Hygienic Practice for Low-Acid and Acidified Low-Acid Canned Foods (CAC/RCP 23-1979), microbiological criteria are not recommended as they do not offer benefit in providing the consumer with a food that is safe and suitable for consumption.
- ² For non-metallic rigid containers such as glass jars, the basis for the determination should be calculated on the weight of distilled water at $20^{\circ}C$ weight which the seal container will old when completely filled less 20 ml.

10. LABELLING OF NON-RETAIL CONTAINERS

10.1 Information for non-retail containers shall be given either on the container or in accompanying documents, except that the name of the product, lot identification, and the name and address of the manufacturer, packer, distributor or importer, as well as storage instructions, shall appear on the container. However, lot identification, and the name and address of the manufacturer, packer, distributor or importer may be replaced by an identification mark, provided that such a mark is clearly identifiable with the accompanying documents.

11. METHODS OF ANALYSIS AND SAMPLING

PROVISION	METHO	PRINCIPLE	TYPE
	AOAC 952.13 (Codex General Method)	Colorimetry, diethyldithicarbamate	II
Arsenic	ISO 6634:1982	Spestrophotometry, silver dethyldithiocarbamate	III
Benzoic acid	NMKL 103 (1984); or AOAC 983.16	Gas Chromotography	III
	NMKL 124(1997)	Liquid chromatography	II
ABE ACA			
PROVISION	WETHO OF	PRINCIPLE	TYPE
	x + 1.4		
Drained weight	ADAC 968 30 (Codex Oeneral	Sieving Gravimetry	Ι
ا م	Method for processes fruits and		
	vegetables)		
Fill of containers	CAC/RM 40,1972 (Codex General	Weighing	Ι
Weighing	Method for processed fruits and		
	vegetables)		
Lead	AOAC 972.25 (Codex	Atomic absorption	III
C	General	spectrophotometry (Flame	
	Method)	absorption)	
pH	NMKL 179:2005	Potentiometry	II
a 1	AOAC 981.12		III
Sorbate	NMKL 103 (1984); or AOAC	Gas Chromatography	III
~	NMKL 124 (1997)	Liquid Chromatography	II
Sulphur Dioxide	EN 1988-1:1998-02 AOAC 990.28	Optimized Monier-Williams	III
	General method for sulphites (food	method	
E.	additives)		TT
Tin	AOAC 980.19 (Codex General	Atomic absorption	II
	Method)	spectrophotometry	

METHODS OF TEST

The relevant testing methods of ISO, CAC and of other internationally recognized standard methods may be taken in to account for analysis purpose.

DETERMINATION OF WATER CAPACITY OF CONTAINERS (CAC/RM 46-1972³)

1. **SCOPE**

This method applies to glass containers⁴.

2. **DEFINITION**

The water capacity of a container is the volume of distilled water at 20°C which the sealed container will hold when completely filled.

poses

3. **PROCEDURE**

- 3.1 Select a container which is undamaged in all respects.
- 3.2 Wash, dry and weigh the empty container.
- , and COTA Fill the container with distilled water at 20°C to the level of the top thereof, and weigh the container thus 3.3 filled.

RESULFS CALCULATION AND EXPRESSION 4.

Subtract the weight found in 3.2 from the weight found in 3.3. The difference shall be considered to be the weight of water required to fill the container Results are expressed as ml of water. only nowc opyright

3 As amended by the Committee on Methods of Analysis and Sampling, ALINORM 03/23, Appendix VI-H.

4 For determination of water capacity in metal containers the reference method is ISO 90.1:1986.