

PAKISTAN STANDARD

FOR

**OLIVE OIL, VIRGIN AND REFINED AND
FOR REFINED OLIVE – POMACE OIL**

not for sale www.psqca.com.pk



(ALL RIGHTS RESERVED)
PAKISTAN STANDARDS AND QUALITY CONTROL AUTHORITY
Standards Development Centre,
39 – Garden Road, Saddar,
Karachi-74400

**PAKISTAN STANDARD SPECIFICATION
FOR
OLIVE OIL, VIRGIN AND REFINED AND
FOR REFINED OLIVE – POMACE OIL**

0. FOREWORD

- 0.1 This Pakistan Standard was adopted by the Pakistan Standards & Quality Control Authority; Standards Development Centre on **30-03-2010** after the draft finalized by the Oil Seeds & their Allied Products Technical Committee had been approved by the National Standards Committee for Agriculture & Food Products.
- 0.2 In the preparation of this standard, the views of the manufacturers, technologists and testing authorities, etc., have been taken into consideration.
- 0.3 The assistance have been derived from CAC -33 is acknowledge with thanks.
- 0.4 For the purpose of deciding whether a particular requirement of this specification is complied with the final value, observed or calculated, expressing the result of a test or analysis shall be rounded off in accordance with PS: 103 for "Methods of Rounding off Numerical Values". The number of significant places retained in the rounded off value shall be the same as that of the specified value in this specification.

1. SCOPE

- 1.1 This standard applies to virgin olive oil, refined olive oil, refined olive-pomace oil, blends of refined olive oil and virgin olive oil and blends of refined olive-pomace oil and virgin olive oil.

2. DESCRIPTION

- 2.1 **Olive oil** is the oil obtained solely from the fruit of the olive tree (*Olea europaea* L.), to the exclusion of oils obtained using solvents or re-esterification processes and of any mixture with oils of other kinds.
- 2.2 **Virgin olive oils** are the oils obtained from the fruit of the olive tree solely by mechanical or other physical means under conditions, particularly thermal conditions, that do not lead to alterations in the oil, and which have not undergone any treatment other than washing, decanting, centrifuging and filtration.

- 2.3 **Olive-pomace oil** is the oil obtained by treating olive pomace with solvents or other physical treatments, to the exclusion of oils obtained by re-esterification processes and of any mixture with oils of other kinds.

3. ESSENTIAL COMPOSITION AND QUALITY FACTORS

- 3.1 **Extra virgin olive oil:** virgin olive oil with a free acidity, expressed as oleic acid, of not more than 0.8 grams per 100 grams and whose other characteristics correspond to those laid down for this category.
- 3.2 **Virgin olive oil:** virgin olive oil with a free acidity, expressed as oleic acid, of not more than 2.0 grams per 100 grams and whose other characteristics correspond to those laid down for this category.
- 3.3 **Ordinary virgin olive oil:** virgin olive oil with a free acidity, expressed as oleic acid, of not more than 3.3 grams per 100 grams and whose other characteristics correspond to those laid down for this category¹.
- 3.4 **Refined olive oil:** olive oil obtained from virgin olive oils by refining methods which do not lead to alterations in the initial glyceridic structure. It has a free acidity, expressed as oleic acid, of not more than 0.3 grams per 100 grams and its other characteristics correspond to those laid down for this category¹.
- 3.5 **Olive oil:** oil consisting of a blend of refined olive oil and virgin olive oils suitable for human consumption. It has a free acidity, expressed as oleic acid, of not more than 1 gram per 100 grams and its other characteristics correspond to those laid down for this category².
- 3.6 **Refined olive-pomace oil:** oil obtained from crude olive-pomace oil by refining methods which do not lead to alterations in the initial glyceridic structure. It has a free acidity, expressed as oleic acid, of not more than 0.3 grams per 100 grams and its other characteristics correspond to those laid down for this category¹.
- 3.7 **Olive-pomace oil:** oil consisting of a blend of refined olive-pomace oil and virgin olive oils. It has a free acidity, expressed as oleic acid, of not more than 1 gram per 100 grams and its other characteristics correspond to those laid down for this category².

3.8 Organoleptic characteristics (odour and taste) of virgin olive oils

	Median of the defect	Median of the fruity attribute
Extra virgin olive oil		Me = 0 Me > 0
Virgin olive oil	0 < Me ≤ 2.5	Me > 0
Ordinary virgin olive oil	2.5 < Me ≤ 6.0 *	

¹This product may only be sold direct to the consumer if permitted in the country of retail sale.

² The country of retail sale may require a more specific designation.

*or when the median of the defect is less than or equal to 2.5 and the median of the fruity attribute is equal to 0.

3.9 Fatty acid composition as determined by gas chromatography (% total fatty acids)

Fatty acid	Virgin olive oils	Olive oil Refined Olive Oil	Refined Olive-Pomace Oil
C14:0	0.0 - 0.05	0.0 - 0.05	0.0 - 0.05
C16:0	7.5 – 20.0	7.5 - 20.0	7.5 - 20.0
C16:1	0.3 - 3.5	0.3 - 3.5	0.3 - 3.5
C17:0	0.0 - 0.3	0.0 - 0.3	0.0 - 0.3
C17:1	0.0 - 0.3	0.0 - 0.3	0.0 - 0.3
C18:0	0.5 - 5.0	0.5 - 5.0	0.5 - 5.0
C18:1	55.0 - 83.0	55.0 - 83.0	55.0 - 83.0
C18:2 C18:3 ³	3.5 – 21.0	3.5 – 21.0	3.5 – 21.0
C20:0	0.0 - 0.6	0.0 - 0.6	0.0 - 0.6
C20:1	0.0 - 0.4	0.0 - 0.4	0.0 - 0.4
C22:0	0.0 - 0.2	0.0 - 0.2	0.0 - 0.2
C24:0	0.0 - 0.2	0.0 - 0.2	0.0 - 0.3
Tran fatty acids			
C18:1 T	0.0 - 0.05	0.0 - 0.20	0.0 - 0.40
C18:2 T + C18:3 T	0.0 - 0.05	0.0 - 0.30	0.0 - 0.35

3.10 Sterol and triterpene dialcohol composition

3.10.1 Desmethylsterol composition (% total sterols)

Cholesterol	≤ 0.5
Brassicasterol	≤ 0.2 for olive-pomace oils ≤ 0.1 for other grades
Campesterol	≤ 4.0
Stigmasterol	< campesterol
Delta-7-stigmastenol	≤ 0.5
Beta-sitosterol + delta-5-avenasterol + delta-5-23-stigmastadienol + clerosterol + sitostanol +	
Delta-5-24-stigmastadienol	≤ 93.0

³ Pending the results of IOOC survey and further consideration by the Committee on Fats and Oils, national limits may remain in place.

3.10.2. Minimum value for total sterols

Virgin olive oils)	
Refined olive oil)	1,000 mg/kg
Olive oil)	
Refined olive-pomace oil		1,800 mg/kg
Olive-pomace oil		1,600 mg/kg

3.10.3. Maximum erythrodiol and uvaol content (% total sterols)

Virgin olive oils)	
Refined olive oil)	≤ 4.5
Olive oil)	

3.11 Wax content

	Level
Virgin olive oils	≤ 250 mg/kg
Refined olive oil	≤ 350 mg/kg
Olive oil	≤ 350 mg/kg
Refined olive-pomace oil	> 350 mg/kg
Olive-pomace oil	> 350 mg/kg

3.12 Maximum difference between the actual and theoretical ECN 42 triglyceride content

Virgin olive oils	0.2
Refined olive oil	0.3
Olive oil	0.3
Olive-pomace oils	0.5

3.13 Maximum stigmastadiene content

Virgin olive oils	0.15 mg/kg
-------------------	------------

3.14 Peroxide value

Virgin olive oils	<20 milliequivalents of active oxygen/kg oil
Refined olive oil	<5 milliequivalents of active oxygen/kg oil
Olive oil	<15 milliequivalents of active oxygen/kg oil
Refined olive-pomace oil	≤ 5 milliequivalents of active oxygen/kg oil
Olive-pomace oil	≤ 15 milliequivalents of active oxygen/kg oil

3.15 Absorbency in ultra-violet K-270

	<u>Absorbency in ultra-violet at 270 nm Delta K</u>	
Extra virgin olive oil	≤ 0.22	≤ 0.01
Virgin olive oil	≤ 0.25	≤ 0.01
Ordinary virgin olive oil	≤ 0.30 (**)	≤ 0.01
Refined olive oil	≤ 1.10	≤ 0.16

4. FOOD ADDITIVES**4.1 Virgin olive oils**

No additives are permitted in these products.

4.2 Refined olive oil, olive oil, refined olive-pomace oil and olive-pomace oil

The addition of alpha-tocopherol to the above products is permitted to restore natural tocopherol lost in the refining process. The concentration of alpha-tocopherol in the final product shall not exceed 200 mg/kg.

** After passage of the sample through activated alumina, absorbency at 270 nm shall be equal to or less than 0.11.

5. CONTAMINANTS

5.1 Heavy metals

The products covered by the provisions of this standard shall comply with maximum limits being established by the Codex Alimentarius Commission but in the meantime the following limits will apply:

	Maximum permissible concentration
Lead (Pb)	0.1 mg/kg
Arsenic (As)	0.1 mg/kg

5.2 Pesticide residues

The products covered by the provisions of this standard shall comply with those maximum residue limits established by the Codex Alimentarius Commission for these commodities.

5.3 Halogenated solvents

Maximum content of each halogenated solvent	0.1 mg/kg
Maximum content of the sum of all halogenated solvents	0.2 mg/kg

6. HYGIENE

- 6.1 It is recommended that the products covered by the provisions of this Standard be prepared and handled in accordance with the appropriate sections of the Recommended International Code of Practice - General Principles of Food Hygiene (PS: 3944), and other relevant Codex texts such as Codes of Hygienic Practice and Codes of Practice.
- 6.2 The products should comply with any microbiological criteria established in accordance with the Principles for the Establishment and Application of Microbiological Criteria for Foods (CAC/GL 21)

7. LABELLING

The products shall be labelled in accordance with Pakistan Standard for Labelling of Prepackaged Foods (PS: 1485)

7.1 Name of the food

The name of the product shall be consistent with the descriptions as shown in Section 3 of this standard. In no case shall the designation 'olive oil' be used to refer to olive-pomace oils.

7.2 Labeling of Non-Retail Containers

Information on the above labeling requirements shall be given either on the container or in accompanying documents, except that the name of the food, lot identification and the name and address of the manufacturer or packer shall appear on the container.

However, lot identification and the name and address of the manufacturer or packer may be replaced by an identification mark, provided that such a mark is clearly identifiable with the accompanying documents.

8. METHODS OF ANALYSIS AND SAMPLING

8.1 Determination of the organoleptic characteristics.

8.2 Determination of free acidity

According to ISO 660 1996, amended 2003 or AOCS Cd 3d-63(03).

8.3 Determination of the fatty acid composition

According to COI/T.20/Doc. no. 24 and ISO 5508:1990 and AOCS Ch 2-91(02) or AOCS Ce 1f-96 (02). For Sample preparation ISO 5509:2000 or AOCS Cc 2-66(97)

8.4 Determination of trans fatty acids content

According to COI/T.20/Doc no. 17 or ISO 15304:2002 or AOCS Ce 1f-96 (02).

8.5 Determination of wax content

According to COI/T.20/Doc. no. 18 or AOCS Ch 8-02

(02).

8.6 Calculation of the difference between the actual and theoretical ECN 42

triglyceride content According to COI/T.20/Doc. no. 20 or AOCS Ce 5b-89 (97).

8.7 Determination of sterol composition and content

According to COI/T.20/Doc. no. 10 or ISO 12228:1999 or AOCS Ch 6-91 (97).

8.8 Determination of erythrodiol content

According to IUPAC 2.43.

8.9 Determination of stigmastadienes

According to COI/T.20/Doc. no. 11 or ISO 15788-1:1999 or AOCS Cd 26-96 (03) or ISO 15788-2:2003.

8.10 Determination of the peroxide value

According to ISO 3960:2001 or AOCS Cd 8b- 90 (03).

8.11 Determination of the absorbency in ultra-violet

According to COI/T.20/Doc. no. 19 or ISO 3656:2002 or AOCS Ch 5-91 (01).

8.12 Determination of alpha-tocopherol

According to ISO 9936:1997.

8.13 Determination of arsenic

According to AOAC 952.13 or AOAC 942.17 or AOAC 986.15.

8.14 Determination of lead

According to AOAC 994.02 or ISO 12193:2004 or AOCS Ca 18c-91(97).

8.15 Detection of traces of halogenated solvents

According to COI/T.20/Doc. no. 8.

8.16 Sampling

Representative samples of the material shall be drawn as prescribed under PS: 56.

APPENDIX
OTHER QUALITY AND COMPOSITION FACTORS

1. QUALITY CHARACTERISTICS

	Maximum level
1.1 Moisture and volatile matter:	
Virgin olive oils	0.2 %
Refined olive oil	0.1 %
Olive oil	0.1 %
Refined olive-pomace oil	0.1 %
Olive-pomace oil	0.1 %
1.2 Insoluble impurities:	
Virgin olive oils	0.1 %
Refined olive oil	0.05 %
Olive oil	0.05 %
Refined olive-pomace oil	0.05 %
Olive-pomace oil	0.05 %

1.3 Trace metals:

Iron (Fe)	3 mg/kg
Copper (Cu)	0.1 mg/kg

1.4 Organoleptic characteristics:**1.4.1 Virgin olive oils:**

See Clause 3 of Standard.

1.4.2 Others:

	<u>Odour</u>	<u>Taste</u>	<u>Colour</u>
Refined olive oil	acceptable	acceptable	light yellow
Olive oil	good	good	light, yellow to green
Refined olive-pomace oil yellow	acceptable	acceptable	light, yellow to brownish
Olive-pomace oil	acceptable	acceptable	light, yellow to green

1.4.3 Appearance at 20°C for 24 hours:

Refined olive oil, olive oil, refined olive-pomace oil, olive-pomace oil: Limpid

2. COMPOSITION CHARACTERISTICS**2.1 Saturated fatty acids at the 2-position in the triglyceride (sum of palmitic & stearic acids):**

	Maximum level
Virgin olive oils	1.5 %
Refined olive oil	1.8 %
Olive oil	1.8 %
Refined olive-pomace oil	2.2 %
Olive-pomace oil	2.2 %

3. CHEMICAL AND PHYSICAL CHARACTERISTICS

3.1 Relative density (20° C/water at 20° C): 0.910-0.916

3.2 Refractive index (n_{D}^{20}):

Virgin olive oils	
Refined olive oil	1.4677-1.4705
Olive oil	
Olive-pomace oils	1.4680-1.4707

3.3 Saponification value (mg KOH/g oil):

Virgin olive oils

Refined olive oil 184-196

Olive oil

Olive-pomace oils 182-193

3.4 Iodine value (Wijs):

Virgin olive oils

Refined olive oil 75-94

Olive oil

Olive-pomace oils 75-92

3.5 Unsaponifiable matter:

Maximum level

Virgin olive oils

Refined olive oil 15 g/kg

Olive oil

Olive-pomace oils
30g/kg**3.6 Absorbency in ultra-violet K232**Absorbency in ultra-violet at 232 nmExtra virgin olive oil $\leq 2.50^4$ Virgin olive oil $\leq 2.60^4$ **4. METHODS OF ANALYSIS AND SAMPLING****4.1 Determination of moisture and volatile matter**

According to ISO 662:1998.

4.2 Determination of the insoluble impurities in light petroleum**4.3 Determination of trace metals (iron, copper)**

According to ISO 8294:1994 or AOAC 0.05.

⁴ The country of retail sale may require compliance with these limits when the oil is made available to the end consumer. According to ISO 663:2000.

4.4 Determination of saponification value

According to ISO 3657:2002 or AOCS Cd 3-25 (03).

4.5 Determination of unsaponifiable matter

According to ISO 3596:2000 or ISO 18609:2000 or AOCS Ca 6b-53 (01).

4.6 Determination of the fatty acids in the 2-position of the triglycerides

According to ISO 6800:1997 or AOCS Ch 3-91 (97).

4.7 Determination of relative density

According to IUPAC 2.101, with the appropriate conversion factor.

4.8 Determination of refractive index

According to ISO 6320:2000 or AOCS Cc 7-25 (02).

4.9 Determination of iodine value

According to ISO 3961:1996 or AOAC 993.20 or AOCS Cd 1d-92 (97) or NMKL 39(2003)

4.10 Determination of the organoleptic characteristics

According to COI/T.20/Doc. no.15.

4.11 Determination of the absorbency in ultra-violet

According to COI/T.20/Doc. no. 19 or ISO 3656:2002 or AOCS Ch 5-91 (01).

NOTE 1:

The vitamin 'A' will not be added in Extra virgin olive oil, in case of any party import Olive oil in bulk then there is no need to add vitamin "A" but when Olive oil marketed for edible purpose it shall contain vitamin "A" as per CAC/WHO Standard.

NOTE 2:

The relevant methods of ISO, CAC of and other internationally recognized standard method may be taken into account for analysis purpose.
